

OpenRTM-aist (Java) - #3398

12/11/2015 01:51 AM - n-ando

12/11/2015 01:51 AM - n-ando

Status: Open	Start date: 12/11/2015
Priority: Open	Due date:
Assignee: win-ei	% Done: 100%
Category:	Estimated time: 0.00 hour
Target version: RELEASE_1_2_0	

Description
RTCMgrのテスト用として、findManager_by_name() と create_component_by_mgrname() を ManagerServant に追加。 refs #3398

Associated revisions

Revision 811 - 04/20/2016 08:29 PM - win-ei

Added findManager_by_name() and create_component_by_mgrname() to ManagerServant. refs #3398

Revision 812 - 04/21/2016 04:07 PM - win-ei

Added findManager_by_name() and create_component_by_mgrname() to ManagerServant. refs #3398

Revision 813 - 04/21/2016 04:20 PM - win-ei

Added items to DefaultConfiguration. refs #3398

Revision 822 - 05/20/2016 02:46 PM - win-ei

Fixed bugs. refs #3398

Revision 844 - 10/10/2016 08:14 PM - win-ei

Fixed bugs. refs #3398

Revision 846 - 10/11/2016 06:46 PM - win-ei

Fixed bugs. refs #3398

History

#1 - 10/11/2016 09:18 PM - win-ei

1 1 1

rtcd_java を rtmgr にリネーム

デフォルト設定に manager.shutdown_auto:2810 を追加

- rtcd_java を rtmgr にリネーム (rtcd_java.conf を rtmgr.conf にリネームし、-d 引数を削除)

```
manager.shutdown_auto:NO  
manager.modules.load_path:./RTMExamples/SimpleIO
```

```
$ ./rtcd_java ./ -d
```

create_component("comp&manager_address=localhost:2810") を追加

- rtmgr のリネーム

```
$ rtmgr localhost/ubuntu.host_cxt/manager.mgr -c "ConsoleIn&manager_address=localhost:2810"
```

- rtls

```
$ rtls localhost/ubuntu.host_cxt -l  
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc  
- - - - - manager.mgr
```

- rtmgr

```
$ rtmgr localhost/ubuntu.host_cxt/manager.mgr -c "ConsoleIn&manager_address=localhost:2810&language=Java"
```

- rtls

```
$ rtls localhost/ubuntu.host_cxt -l  
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc  
Inactive 1/0 0/0 1/0 0/0 ConsoleIn1.rtc  
- - - - - manager.mgr
```

create_component("comp&manager_name=slave_manager")

- -
 -
 -

```
$ rtdc_java -o manager.is_master:NO, -o manager.corba_servant:YES -o corba.master_manager:localhost:2810  
0 -o manager.name:manager -o, manager.instance_name:slave_manager
```

- rtmgr

```
$ rtmgr localhost/ubuntu.host_cxt/manager.mgr -c "ConsoleIn&manager_name=slave_manager"
```

-

```
$ rtls localhost/ubuntu.host_cxt/manager.mgr -l  
- - - - - manager  
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc
```

- - rtdc_java path
 - rtmgr

```
$ rtmgr localhost/ubuntu.host_cxt/manager.mgr -c "ConsoleIn&manager_name=slave_manager"
```

- rtls

```
$ rtls localhost/ubuntu.host_cxt -l  
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc  
- - - - - manager.mgr
```

-

```

$ rtls localhost/ubuntu.host_cxt/manager.mgr -l
- - - - - manager
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc

$ ps -e | grep 'rtcd_java'
44965 pts/7 00:00:00 rtcd_java
44994 pts/7 00:00:00 rtcd_java

```

create_component("comp&manager_name=new_manager")

- rtmgr

```
$ rtmgr localhost/ubuntu.host_cxt/manager.mgr -c "ConsoleIn&manager_name=new_manager"
```

- rtls

```

$ rtls localhost/ubuntu.host_cxt -l
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc
- - - - - manager.mgr

```

-

```

$ rtls localhost/ubuntu.host_cxt/manager.mgr -l
- - - - - manager
Inactive 1/0 0/0 1/0 0/0 ConsoleIn0.rtc

$ ps -e | grep 'rtcd_java'
44965 pts/7 00:00:00 rtcd_java
44994 pts/7 00:00:00 rtcd_java

```

#2 - 09/06/2017 10:46 AM - katami

- Status changed from `□□` to `□□`
- Assignee set to *win-ei*
- Target version set to *RELEASE_1_2_0*
- % Done changed from 0 to 100