

## OpenRTM-aist (C++) - #4428

direct Pull

01/23/2018 09:11 AM - n-miyamoto

<b>Status:</b> □□	<b>Start date:</b> 01/23/2018
<b>Priority:</b> □□	<b>Due date:</b>
<b>Assignee:</b> n-miyamoto	<b>% Done:</b> 100%
<b>Category:</b>	<b>Estimated time:</b> 0.00 hour
<b>Target version:</b>	
<b>Description</b>	

### Associated revisions

#### Revision 3184 - 01/23/2018 09:15 AM - miyamoto

[incompat,->RELENG\_1\_2] refs #4428

#### Revision 3184 - 01/23/2018 09:15 AM - miyamoto

[incompat,->RELENG\_1\_2] refs #4428

#### Revision 3187 - 01/23/2018 02:07 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3187 - 01/23/2018 02:07 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3189 - 01/23/2018 04:55 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3189 - 01/23/2018 04:55 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3190 - 01/23/2018 04:58 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3190 - 01/23/2018 04:58 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3193 - 01/23/2018 05:41 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3193 - 01/23/2018 05:41 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3194 - 01/23/2018 07:20 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

#### Revision 3194 - 01/23/2018 07:20 PM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

Revision 3195 - 01/24/2018 08:49 AM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

Revision 3195 - 01/24/2018 08:49 AM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

Revision 3196 - 01/24/2018 09:12 AM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

Revision 3196 - 01/24/2018 09:12 AM - miyamoto

[compat, ->RELENG\_1\_2] refs #4428

## History

---

#1 - 01/23/2018 03:33 PM - n-miyamoto

- File write.png added

- File read.png added

- Status changed from `Open` to `Closed`

- % Done changed from 0 to 100

- `OutPortConnector`
  - `getLocalOutPort`
    - `getLocalOutPort`
- `InPortBase`
  - `getLocalOutPort`
    - `getLocalOutPort`
- `InPortConnector`
  - `setOutPort`
    - `setOutPort`
- `OutPort`
  - `read`
    - `read`
- `OutPortBase`
  - `getListeners`
    - `getListeners`
- `OutPortConnector`
  - `setDirectMode`
    - `setDirectMode`
  - `directMode`
    - `directMode`
- `OutPortConnector`
  - `pull`
    - `pull`

```

OutPortConnector directMode Pull
m_directValue m_directNewData true

```

write.png

```

getDirectData
getDirectData
PullDirect
false
PullDirect
OutPort
read
m_directValue
m_directNewData
false
read
```

read.png

- `OutPortConnector::setDirectMode` `Pull` `direct`

```
OutPortConnector*
OutPortBase::createConnector(const ConnectorProfile& cprof,
                             coil::Properties& prop,
                             OutPortProvider* provider)
{
  ( )
}
```

